



STAINLESS STEEL GAS CONNECTORS, ACCESSORIES
AND COMMERCIAL PLUMBING PRODUCTS

CANADIAN PRICE LIST



Toll Free: 800-567-4432
Toll Free Fax: 800-667-3423
E-Mail: sales@permul.com
Web Site: www.permul.ca

CONTRACTOR PRICE LIST
Deliveries to December 31, 2011
F.O.B. – Mississauga, ON

Revised: January 31, 2011

REVISION:

- New delivery date
- New pricing

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
THE DORMONT BLUE HOSE		
SAFETY SYSTEM REPLACEMENT CONNECTORS - See Page 7		
"BP" Series: Stainless steel corrugated hose, encased in stainless steel braid, covered with antimicrobial PVC coating		
1650BP24	24" - 1/2" inside diameter	135
1650BP36	36" - 1/2" inside diameter	147
1650BP48	48" - 1/2" inside diameter	166
1650BP60	60" - 1/2" inside diameter	202
1650BP72	72" - 1/2" inside diameter	230
1675BP24	24" - 3/4" inside diameter	176
1675BP36	36" - 3/4" inside diameter	199
1675BP48	48" - 3/4" inside diameter	229
1675BP60	60" - 3/4" inside diameter	263
1675BP72	72" - 3/4" inside diameter	296
16100BP24	24" - 1" inside diameter	202
16100BP36	36" - 1" inside diameter	223
16100BP48	48" - 1" inside diameter	263
16100BP60	60" - 1" inside diameter	310
16100BP72	72" - 1" inside diameter	356
16125BP24	24" - 1-1/4" inside diameter	266
16125BP36	36" - 1-1/4" inside diameter	306
16125BP48	48" - 1-1/4" inside diameter	371
16125BP60	60" - 1-1/4" inside diameter	437
16125BP72	72" - 1-1/4" inside diameter	502
SNAPFAST DELUXE GAS CONNECTOR KITS AND QUICK-DISCONNECTS		
DELUXE SAFETY SYSTEM GAS CONNECTOR KITS - See Page 9		
1650KIT24	24" - 1/2" inside diameter	243
1650KIT36	36" - 1/2" inside diameter	253
1650KIT48	48" - 1/2" inside diameter	266
1650KIT60	60" - 1/2" inside diameter	304
1650KIT72	72" - 1/2" inside diameter	340
1675KIT24	24" - 3/4" inside diameter	327
1675KIT36	36" - 3/4" inside diameter	338
1675KIT48	48" - 3/4" inside diameter	363
1675KIT60	60" - 3/4" inside diameter	417
1675KIT72	72" - 3/4" inside diameter	449
16100KIT24	24" - 1" inside diameter	410
16100KIT36	36" - 1" inside diameter	417
16100KIT48	48" - 1" inside diameter	456
16100KIT60	60" - 1" inside diameter	530
16100KIT72	72" - 1" inside diameter	558
16125KIT24	24" - 1-1/4" inside diameter	624
16125KIT36	36" - 1-1/4" inside diameter	673
16125KIT48	48" - 1-1/4" inside diameter	740
16125KIT60	60" - 1-1/4" inside diameter	816
16125KIT72	72" - 1-1/4" inside diameter	888
DELUXE SAFETY SYSTEM GAS CONNECTOR KITS WITH SAFETY-SET- See Page 9		
1650KIT24PS	24" - 1/2" inside diameter	328
1650KIT36PS	36" - 1/2" inside diameter	339

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1650KIT48PS	48" - 1/2" inside diameter	351
1650KIT60PS	60" - 1/2" inside diameter	389
1650KIT72PS	72" - 1/2" inside diameter	425
1675KIT24PS	24" - 3/4" inside diameter	412
1675KIT36PS	36" - 3/4" inside diameter	423
1675KIT48PS	48" - 3/4" inside diameter	448
1675KIT60PS	60" - 3/4" inside diameter	502
1675KIT72PS	72" - 3/4" inside diameter	535
16100KIT24PS	24" - 1" inside diameter	495
16100KIT36PS	36" - 1" inside diameter	502
16100KIT48PS	48" - 1" inside diameter	541
16100KIT60PS	60" - 1" inside diameter	615
16100KIT72PS	72" - 1" inside diameter	637
16125KIT24PS	24" - 1-1/4" inside diameter	710
16125KIT36PS	36" - 1-1/4" inside diameter	758
16125KIT48PS	48" - 1-1/4" inside diameter	825
16125KIT60PS	60" - 1-1/4" inside diameter	901
16125KIT72PS	72" - 1-1/4" inside diameter	973
SNAPFAST QUICK-DISCONNECT - See Page 9		
Includes nipple and coupling		
A50	1650 (1/2") connector series	74
A75	1675 (3/4") connector series	103
A100	16100 (1") connector series	139
A125	16125 (1-1/4") connector series	290
SWIVELMAX DELUXE GAS CONNECTOR KITS AND FITTINGS		
SAFETY SYSTEM GAS CONNECTOR KITS WITH DOUBLE SWIVELMAX - See Page 10		
Kits Include: Safety System gas connector with 2 SwivelMAX swivels, 1 SnapFast QD, 1 full port valve, a restraining cable and hardware		
1650KIT2S24	24" - 1/2" inside diameter	429
1650KIT2S36	36" - 1/2" inside diameter	437
1650KIT2S48	48" - 1/2" inside diameter	457
1650KIT2S60	60" - 1/2" inside diameter	500
1650KIT2S72	72" - 1/2" inside diameter	536
1675KIT2S24	24" - 3/4" inside diameter	520
1675KIT2S36	36" - 3/4" inside diameter	536
1675KIT2S48	48" - 3/4" inside diameter	564
1675KIT2S60	60" - 3/4" inside diameter	607
1675KIT2S72	72" - 3/4" inside diameter	641
16100KIT2S24	24" - 1" inside diameter	727
16100KIT2S36	36" - 1" inside diameter	753
16100KIT2S48	48" - 1" inside diameter	791
16100KIT2S60	60" - 1" inside diameter	862
16100KIT2S72	72" - 1" inside diameter	915
16125KIT2S24	24" - 1-1/4" inside diameter	1,196
16125KIT2S36	36" - 1-1/4" inside diameter	1,226
16125KIT2S48	48" - 1-1/4" inside diameter	1,305
16125KIT2S60	60" - 1-1/4" inside diameter	1,366
16125KIT2S72	72" - 1-1/4" inside diameter	1,432

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
SAFETY SYSTEM GAS CONNECTOR KITS WITH SINGLE SWIVELMAX - See Page 10		
Kits Include: Safety System gas connector with 1 SwivelMAX, 1 SnapFast QD, 1 elbow, 1 full port valve, a restraining cable and hardware		
1650KITS24	24" - 1/2" inside diameter	331
1650KITS36	36" - 1/2" inside diameter	336
1650KITS48	48" - 1/2" inside diameter	363
1650KITS60	60" - 1/2" inside diameter	453
1650KITS72	72" - 1/2" inside diameter	447
1675KITS24	24" - 3/4" inside diameter	424
1675KITS36	36" - 3/4" inside diameter	434
1675KITS48	48" - 3/4" inside diameter	469
1675KITS60	60" - 3/4" inside diameter	511
1675KITS72	72" - 3/4" inside diameter	547
16100KITS24	24" - 1" inside diameter	559
16100KITS36	36" - 1" inside diameter	604
16100KITS48	48" - 1" inside diameter	626
16100KITS60	60" - 1" inside diameter	704
16100KITS72	72" - 1" inside diameter	744
16125KITS24	24" - 1-1/4" inside diameter	962
16125KITS36	36" - 1-1/4" inside diameter	1,000
16125KITS48	48" - 1-1/4" inside diameter	1,029
16125KITS60	60" - 1-1/4" inside diameter	1,098
16125KITS72	72" - 1-1/4" inside diameter	1,170
SWIVELMAX 360° MULTI-PLANE ROTATION FITTING - See Page 10		
SM50	1/2" connector series (3/4" SwivelMax with 1/2" threads)	103
SM75	3/4" connector series	106
SM100	1" connector series	172
SM125	1-1/4" connector series	298
SAFETY QUIK DELUXE GAS CONNECTOR KITS AND SAFETY FITTINGS		
SAFETY SYSTEM GAS CONNECTOR KITS WITH SAFETY QUIK AND DOUBLE SWIVELMAX - See Page 11		
Kits Include: 1 Safety System Gas Connector, 1 Safety Quik QDV, 2 SwivelMAX, Restraining Cable & Hardware		
1650KITCF2S24	24" - 1/2" inside diameter	463
1650KITCF2S36	36" - 1/2" inside diameter	487
1650KITCF2S48	48" - 1/2" inside diameter	510
1650KITCF2S60	60" - 1/2" inside diameter	553
1650KITCF2S72	72" - 1/2" inside diameter	569
1675KITCF2S24	24" - 3/4" inside diameter	559
1675KITCF2S36	36" - 3/4" inside diameter	581
1675KITCF2S48	48" - 3/4" inside diameter	614
1675KITCF2S60	60" - 3/4" inside diameter	653
1675KITCF2S72	72" - 3/4" inside diameter	666
16100KITCF2S24	24" - 1" inside diameter	817
16100KITCF2S36	36" - 1" inside diameter	848
16100KITCF2S48	48" - 1" inside diameter	878
16100KITCF2S60	60" - 1" inside diameter	931
16100KITCF2S72	72" - 1" inside diameter	978

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
SAFETY SYSTEM GAS CONNECTOR KITS WITH SAFETY QUIK AND SINGLE SWIVELMAX - See Page 11		
Kits Include: 1 Safety System Gas Connector, 1 Safety Quik QDV, 1 SwivelMAX, 1 Elbow, Restraining Cable & Hardware		
1650KITCFS24	24" - 1/2" inside diameter	395
1650KITCFS36	36" - 1/2" inside diameter	403
1650KITCFS48	48" - 1/2" inside diameter	429
1650KITCFS60	60" - 1/2" inside diameter	452
1650KITCFS72	72" - 1/2" inside diameter	471
1675KITCFS24	24" - 3/4" inside diameter	470
1675KITCFS36	36" - 3/4" inside diameter	491
1675KITCFS48	48" - 3/4" inside diameter	526
1675KITCFS60	60" - 3/4" inside diameter	564
1675KITCFS72	72" - 3/4" inside diameter	598
16100KITCFS24	24" - 1" inside diameter	634
16100KITCFS36	36" - 1" inside diameter	677
16100KITCFS48	48" - 1" inside diameter	722
16100KITCFS60	60" - 1" inside diameter	770
16100KITCFS72	72" - 1" inside diameter	817
SAFETY SYSTEM GAS CONNECTOR KITS WITH SAFETY QUIK - See Page 11		
Kits Include: 1 Safety System Gas Connector, 1 Safety Quik QDV, 2 Elbows, Restraining Cable & Hardware		
1650KITCF24	24" - 1/2" inside diameter	290
1650KITCF36	36" - 1/2" inside diameter	302
1650KITCF48	48" - 1/2" inside diameter	327
1650KITCF60	60" - 1/2" inside diameter	358
1650KITCF72	72" - 1/2" inside diameter	394
1675KITCF24	24" - 3/4" inside diameter	369
1675KITCF36	36" - 3/4" inside diameter	389
1675KITCF48	48" - 3/4" inside diameter	423
1675KITCF60	60" - 3/4" inside diameter	461
1675KITCF72	72" - 3/4" inside diameter	493
16100KITCF24	24" - 1" inside diameter	479
16100KITCF36	36" - 1" inside diameter	509
16100KITCF48	48" - 1" inside diameter	539
16100KITCF60	60" - 1" inside diameter	607
16100KITCF72	72" - 1" inside diameter	677
SAFETY QUIK QDV SAFETY FITTING - See Page 11		
CF-50	1/2" connector series	124
CF-75	3/4" connector series	157
CF-100	1" connector series	218
SAFETY-SET EQUIPMENT PLACEMENT SYSTEM - See Page 12		
PS	2 Safety-Set units with adhesive foam tape, pre-applied	85
	Safety-set may also be purchased with any BPQR or KIT Series Hose To include Safety-Set, add PS to the end of the part number and add	85
BUILD YOUR OWN SAFETY SYSTEM GAS CONNECTION ASSEMBLIES		
SAFETY SYSTEM GAS CONNECTORS WITH DOUBLE SWIVELMAX AND RESTRAINING DEVICE - See Page 13		
"2S" Suffix denotes Safety System gas connector with the SwivelMAX coupling for both the supply end and the equipment end		
1650BPQ2SR24	24" - 1/2" inside diameter	415
1650BPQ2SR36	36" - 1/2" inside diameter	420
1650BPQ2SR48	48" - 1/2" inside diameter	444

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1650BPQ2SR60	60" - 1/2" inside diameter	473
1650BPQ2SR72	72" - 1/2" inside diameter	510
1675BPQ2SR24	24" - 3/4" inside diameter	487
1675BPQ2SR36	36" - 3/4" inside diameter	510
1675BPQ2SR48	48" - 3/4" inside diameter	548
1675BPQ2SR60	60" - 3/4" inside diameter	579
1675BPQ2SR72	72" - 3/4" inside diameter	605
16100BPQ2SR24	24" - 1" inside diameter	720
16100BPQ2SR36	36" - 1" inside diameter	742
16100BPQ2SR48	48" - 1" inside diameter	780
16100BPQ2SR60	60" - 1" inside diameter	829
16100BPQ2SR72	72" - 1" inside diameter	885
16125BPQ2SR24	24" - 1-1/4" inside diameter	1,121
16125BPQ2SR36	36" - 1-1/4" inside diameter	1,180
16125BPQ2SR48	48" - 1-1/4" inside diameter	1,243
16125BPQ2SR60	60" - 1-1/4" inside diameter	1,303
16125BPQ2SR72	72" - 1-1/4" inside diameter	1,434
SAFETY SYSTEM GAS CONNECTORS WITH SINGLE SWIVELMAX AND RESTRAINING DEVICE - See Page 11		
Ships with elbow		
"S" Suffix denotes Safety System gas connector with the SwivelMAX coupling for the supply end		
1650BPQSR24	24" - 1/2" inside diameter	323
1650BPQSR36	36" - 1/2" inside diameter	321
1650BPQSR48	48" - 1/2" inside diameter	348
1650BPQSR60	60" - 1/2" inside diameter	374
1650BPQSR72	72" - 1/2" inside diameter	418
1675BPQSR24	24" - 3/4" inside diameter	415
1675BPQSR36	36" - 3/4" inside diameter	422
1675BPQSR48	48" - 3/4" inside diameter	453
1675BPQSR60	60" - 3/4" inside diameter	488
1675BPQSR72	72" - 3/4" inside diameter	538
16100BPQSR24	24" - 1" inside diameter	553
16100BPQSR36	36" - 1" inside diameter	564
16100BPQSR48	48" - 1" inside diameter	602
16100BPQSR60	60" - 1" inside diameter	653
16100BPQSR72	72" - 1" inside diameter	706
16125BPQSR24	24" - 1-1/4" inside diameter	869
16125BPQSR36	36" - 1-1/4" inside diameter	910
16125BPQSR48	48" - 1-1/4" inside diameter	978
16125BPQSR60	60" - 1-1/4" inside diameter	1,048
16125BPQSR72	72" - 1-1/4" inside diameter	1,114
SAFETY SYSTEM GAS CONNECTORS WITH RESTRAINING DEVICE - See Page 13		
Ships with elbow		
1650BPQR24	24" - 1/2" inside diameter	235
1650BPQR36	36" - 1/2" inside diameter	243
1650BPQR48	48" - 1/2" inside diameter	262
1650BPQR60	60" - 1/2" inside diameter	297
1650BPQR72	72" - 1/2" inside diameter	336
1675BPQR24	24" - 3/4" inside diameter	314

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1675BPQR36	36" - 3/4" inside diameter	318
1675BPQR48	48" - 3/4" inside diameter	355
1675BPQR60	60" - 3/4" inside diameter	403
1675BPQR72	72" - 3/4" inside diameter	440
16100BPQR24	24" - 1" inside diameter	381
16100BPQR36	36" - 1" inside diameter	402
16100BPQR48	48" - 1" inside diameter	438
16100BPQR60	60" - 1" inside diameter	501
16100BPQR72	72" - 1" inside diameter	548
16125BPQR24	24" - 1-1/4" inside diameter	564
16125BPQR36	36" - 1-1/4" inside diameter	619
16125BPQR48	48" - 1-1/4" inside diameter	684
16125BPQR60	60" - 1-1/4" inside diameter	757
16125BPQR72	72" - 1-1/4" inside diameter	832
SAFETY SYSTEM GAS CONNECTOR WITH SAFETY QUIK AND DOUBLE SWIVELMAX - See Page 14		
"2S" suffix denotes Safety System gas connector with the SwivelMAX coupling for both the equipment and gas supply end		
1650BPCF2S24	24" - 1/2" inside diameter	437
1650BPCF2S36	36" - 1/2" inside diameter	461
1650BPCF2S48	48" - 1/2" inside diameter	484
1650BPCF2S60	60" - 1/2" inside diameter	520
1650BPCF2S72	72" - 1/2" inside diameter	563
1675BPCF2S24	24" - 3/4" inside diameter	518
1675BPCF2S36	36" - 3/4" inside diameter	554
1675BPCF2S48	48" - 3/4" inside diameter	581
1675BPCF2S60	60" - 3/4" inside diameter	619
1675BPCF2S72	72" - 3/4" inside diameter	657
16100BPCF2S24	24" - 1" inside diameter	773
16100BPCF2S36	36" - 1" inside diameter	817
16100BPCF2S48	48" - 1" inside diameter	862
16100BPCF2S60	60" - 1" inside diameter	918
16100BPCF2S72	72" - 1" inside diameter	968
SAFETY SYSTEM GAS CONNECTOR WITH SAFETY QUIK AND SWIVELMAX - See Page 14		
"S" suffix denotes Safety System gas connector with the SwivelMAX coupling on gas supply end		
Ships with elbow		
1650BPCFS24	24" - 1/2" inside diameter	361
1650BPCFS36	36" - 1/2" inside diameter	373
1650BPCFS48	48" - 1/2" inside diameter	391
1650BPCFS60	60" - 1/2" inside diameter	422
1650BPCFS72	72" - 1/2" inside diameter	456
1675BPCFS24	24" - 3/4" inside diameter	427
1675BPCFS36	36" - 3/4" inside diameter	462
1675BPCFS48	48" - 3/4" inside diameter	497
1675BPCFS60	60" - 3/4" inside diameter	529
1675BPCFS72	72" - 3/4" inside diameter	560
16100BPCFS24	24" - 1" inside diameter	599
16100BPCFS36	36" - 1" inside diameter	639
16100BPCFS48	48" - 1" inside diameter	683

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
16100BPCFS60	60" - 1" inside diameter	728
16100BPCFS72	72" - 1" inside diameter	770
SAFETY SYSTEM GAS CONNECTOR WITH SAFETY QUIK - See Page 14		
"BPCF" Series - Safety System gas connector with Safety Quik quick-disconnect coupling. Ships with elbow.		
1650BPCF24	24" - 1/2" inside diameter	271
1650BPCF36	36" - 1/2" inside diameter	286
1650BPCF48	48" - 1/2" inside diameter	294
1650BPCF60	60" - 1/2" inside diameter	326
1650BPCF72	72" - 1/2" inside diameter	359
1675BPCF24	24" - 3/4" inside diameter	350
1675BPCF36	36" - 3/4" inside diameter	374
1675BPCF48	48" - 3/4" inside diameter	410
1675BPCF60	60" - 3/4" inside diameter	445
1675BPCF72	72" - 3/4" inside diameter	479
16100BPCF24	24" - 1" inside diameter	437
16100BPCF36	36" - 1" inside diameter	464
16100BPCF48	48" - 1" inside diameter	507
16100BPCF60	60" - 1" inside diameter	551
16100BPCF72	72" - 1" inside diameter	593
SAFETY SYSTEM CONNECTORS WITH DOUBLE SWIVELMAX AND SNAPFAST - See Page 14		
"2S" suffix denotes Safety System gas connector with the SwivelMAX coupling for both the equipment side and the gas supply end		
1650BPQ2S24	24" - 1/2" inside diameter	384
1650BPQ2S36	36" - 1/2" inside diameter	397
1650BPQ2S48	48" - 1/2" inside diameter	418
1650BPQ2S60	60" - 1/2" inside diameter	450
1650BPQ2S72	72" - 1/2" inside diameter	487
1675BPQ2S24	24" - 3/4" inside diameter	463
1675BPQ2S36	36" - 3/4" inside diameter	479
1675BPQ2S48	48" - 3/4" inside diameter	516
1675BPQ2S60	60" - 3/4" inside diameter	554
1675BPQ2S72	72" - 3/4" inside diameter	585
16100BPQ2S24	24" - 1" inside diameter	683
16100BPQ2S36	36" - 1" inside diameter	712
16100BPQ2S48	48" - 1" inside diameter	742
16100BPQ2S60	60" - 1" inside diameter	802
16100BPQ2S72	72" - 1" inside diameter	854
16125BPQ2S24	24" - 1-1/4" inside diameter	1,114
16125BPQ2S36	36" - 1-1/4" inside diameter	1,150
16125BPQ2S48	48" - 1-1/4" inside diameter	1,214
16125BPQ2S60	60" - 1-1/4" inside diameter	1,273
16125BPQ2S72	72" - 1-1/4" inside diameter	1,329
SAFETY SYSTEM GAS CONNECTORS WITH SINGLE SWIVELMAX AND SNAPFAST - See Page 15		
"S" suffix denotes Safety System gas connector with the SwivelMAX coupling on gas supply end		
1650BPQS24	24" - 1/2" inside diameter	289
1650BPQS36	36" - 1/2" inside diameter	305
1650BPQS48	48" - 1/2" inside diameter	324
1650BPQS60	60" - 1/2" inside diameter	374

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1650BPQS72	72" - 1/2" inside diameter	408
1675BPQS24	24" - 3/4" inside diameter	387
1675BPQS36	36" - 3/4" inside diameter	394
1675BPQS48	48" - 3/4" inside diameter	433
1675BPQS60	60" - 3/4" inside diameter	465
1675BPQS72	72" - 3/4" inside diameter	506
16100BPQS24	24" - 1" inside diameter	538
16100BPQS36	36" - 1" inside diameter	551
16100BPQS48	48" - 1" inside diameter	574
16100BPQS60	60" - 1" inside diameter	646
16100BPQS72	72" - 1" inside diameter	695
16125BPQS24	24" - 1-1/4" inside diameter	823
16125BPQS36	36" - 1-1/4" inside diameter	885
16125BPQS48	48" - 1-1/4" inside diameter	952
16125BPQS60	60" - 1-1/4" inside diameter	1,053
16125BPQS72	72" - 1-1/4" inside diameter	1,099
SAFETY SYSTEM GAS CONNECTORS WITH SNAPFAST - See Page 15		
"BPQ" Series: Safety System gas connector with the SnapFast quick-disconnect coupling and elbow		
1650BPQ24	24" - 1/2" inside diameter	209
1650BPQ36	36" - 1/2" inside diameter	214
1650BPQ48	48" - 1/2" inside diameter	233
1650BPQ60	60" - 1/2" inside diameter	271
1650BPQ72	72" - 1/2" inside diameter	302
1675BPQ24	24" - 3/4" inside diameter	288
1675BPQ36	36" - 3/4" inside diameter	297
1675BPQ48	48" - 3/4" inside diameter	331
1675BPQ60	60" - 3/4" inside diameter	381
1675BPQ72	72" - 3/4" inside diameter	414
16100BPQ24	24" - 1" inside diameter	354
16100BPQ36	36" - 1" inside diameter	373
16100BPQ48	48" - 1" inside diameter	415
16100BPQ60	60" - 1" inside diameter	473
16100BPQ72	72" - 1" inside diameter	520
16125BPQ24	24" - 1-1/4" inside diameter	562
16125BPQ36	36" - 1-1/4" inside diameter	593
16125BPQ48	48" - 1-1/4" inside diameter	659
16125BPQ60	60" - 1-1/4" inside diameter	732
16125BPQ72	72" - 1-1/4" inside diameter	809
SAFETY SYSTEM GAS CONNECTORS WITH RESTRAINING DEVICE AND SAETY-SET - See Page 15		
"BP" Series: Safety system gas connector		
1650BPQR24PS	24" - 1/2" inside diameter	320
1650BPQR36PS	36" - 1/2" inside diameter	328
1650BPQR48PS	48" - 1/2" inside diameter	347
1650BPQR60PS	60" - 1/2" inside diameter	382
1650BPQR72PS	72" - 1/2" inside diameter	422
1675BPQR24PS	24" - 3/4" inside diameter	400
1675BPQR36PS	36" - 3/4" inside diameter	403
1675BPQR48PS	48" - 3/4" inside diameter	440

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1675BPQR60PS	60" - 3/4" inside diameter	488
1675BPQR72PS	72" - 3/4" inside diameter	525
16100BPQR24PS	24" - 1" inside diameter	467
16100BPQR36PS	36" - 1" inside diameter	487
16100BPQR48PS	48" - 1" inside diameter	523
16100BPQR60PS	60" - 1" inside diameter	586
16100BPQR72PS	72" - 1" inside diameter	634
16125BPQR24PS	24" - 1-1/4" inside diameter	650
16125BPQR36PS	36" - 1-1/4" inside diameter	704
16125BPQR48PS	48" - 1-1/4" inside diameter	770
16125BPQR60PS	60" - 1-1/4" inside diameter	842
16125BPQR72PS	72" - 1-1/4" inside diameter	917
SAFETY SYSTEM GAS CONNECTORS WITH SINGLE SWIVEL, RESTRAINING DEVICE AND SAFETY-SET - See Page 15		
"BQ" Series: Stainless steel corrugated hose, encased in stainless steel braid, and fitted with a SnapFast quick-disconnect coupling. Ships with elbow.		
1650BQSR24PS	24" - 1/2" inside diameter	408
1650BQSR36PS	36" - 1/2" inside diameter	415
1650BQSR48PS	48" - 1/2" inside diameter	433
1650BQSR60PS	60" - 1/2" inside diameter	460
1650BQSR72PS	72" - 1/2" inside diameter	503
1675BQSR24PS	24" - 3/4" inside diameter	500
1675BQSR36PS	36" - 3/4" inside diameter	507
1675BQSR48PS	48" - 3/4" inside diameter	529
1675BQSR60PS	60" - 3/4" inside diameter	574
1675BQSR72PS	72" - 3/4" inside diameter	623
16100BQSR24PS	24" - 1" inside diameter	638
16100BQSR36PS	36" - 1" inside diameter	650
16100BQSR48PS	48" - 1" inside diameter	688
16100BQSR60PS	60" - 1" inside diameter	738
16100BQSR72PS	72" - 1" inside diameter	791
16125BQSR24PS	24" - 1-1/4" inside diameter	954
16125BQSR36PS	36" - 1-1/4" inside diameter	995
16125BQSR48PS	48" - 1-1/4" inside diameter	1,063
16125BQSR60PS	60" - 1-1/4" inside diameter	1,134
16125BQSR72PS	72" - 1-1/4" inside diameter	1,199
SAFETY SYSTEM GAS CONNECTORS WITH DOUBLE SWIVEL, RESTRAINING DEVICE AND SAFETY-SET - See Page 15		
"B" Series: Stainless steel corrugated hose, encased in stainless steel braid		
1650PBQ2SR24PS	24" - 1/2" inside diameter	500
1650PBQ2SR36PS	36" - 1/2" inside diameter	506
1650PBQ2SR48PS	48" - 1/2" inside diameter	529
1650PBQ2SR60PS	60" - 1/2" inside diameter	559
1650PBQ2SR72PS	72" - 1/2" inside diameter	596
1675PBQ2SR24PS	24" - 3/4" inside diameter	573
1675PBQ2SR36PS	36" - 3/4" inside diameter	596
1675PBQ2SR48PS	48" - 3/4" inside diameter	634
1675PBQ2SR60PS	60" - 3/4" inside diameter	665
1675PBQ2SR72PS	72" - 3/4" inside diameter	690
16100PBQ2SR24PS	24" - 1" inside diameter	805

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
16100PBQ2SR36PS	36" - 1" inside diameter	827
16100PBQ2SR48PS	48" - 1" inside diameter	865
16100PBQ2SR60PS	60" - 1" inside diameter	915
16100PBQ2SR72PS	72" - 1" inside diameter	970
16125PBQ2SR24PS	24" - 1-1/4" inside diameter	1,206
16125PBQ2SR36PS	36" - 1-1/4" inside diameter	1,265
16125PBQ2SR48PS	48" - 1-1/4" inside diameter	1,328
16125PBQ2SR60PS	60" - 1-1/4" inside diameter	1,388
16125PBQ2SR72PS	72" - 1-1/4" inside diameter	1,519
STATIONARY CONNECTORS AND REGULATORS		
STATIONARY GAS CONNECTOR KITS		
Kit Contains: 1-Stationary Connector, 1-Full Port Valve, 2-Elbows		
STATIONARY ANTIMICROBIAL PVC COATED GAS CONNECTOR INSTALLATION KITS - See Page 16		
** NOT APPROVED FOR COMMERCIAL APPLICATIONS AS PER TSSA STANDARDS **		
1650NPKIT24	24" - 1/2" inside diameter	**
1650NPKIT36	36" - 1/2" inside diameter	**
1650NPKIT48	48" - 1/2" inside diameter	**
1650NPKIT60	60" - 1/2" inside diameter	**
1650NPKIT72	72" - 1/2" inside diameter	**
1675NPKIT24	24" - 3/4" inside diameter	**
1675NPKIT36	36" - 3/4" inside diameter	**
1675NPKIT48	48" - 3/4" inside diameter	**
1675NPKIT60	60" - 3/4" inside diameter	**
1675NPKIT72	72" - 3/4" inside diameter	**
16100NPKIT24	24" - 1" inside diameter	**
16100NPKIT36	36" - 1" inside diameter	**
16100NPKIT48	48" - 1" inside diameter	**
16100NPKIT60	60" - 1" inside diameter	**
16100NPKIT72	72" - 1" inside diameter	**
16125NPKIT24	24" - 1-1/4" inside diameter	**
16125NPKIT36	36" - 1-1/4" inside diameter	**
16125NPKIT48	48" - 1-1/4" inside diameter	**
16125NPKIT60	60" - 1-1/4" inside diameter	**
16125NPKIT72	72" - 1-1/4" inside diameter	**
STATIONARY ANTIMICROBIAL PVC COATED GAS CONNECTORS ONLY - See Page 16		
** NOT APPROVED FOR COMMERCIAL APPLICATIONS AS PER TSSA STANDARDS **		
1650NPFS24	24" - 1/2" inside diameter	**
1650NPFS36	36" - 1/2" inside diameter	**
1650NPFS48	48" - 1/2" inside diameter	**
1650NPFS60	60" - 1/2" inside diameter	**
1650NPFS72	72" - 1/2" inside diameter	**
1675NPFS24	24" - 3/4" inside diameter	**
1675NPFS36	36" - 3/4" inside diameter	**
1675NPFS48	48" - 3/4" inside diameter	**
1675NPFS60	60" - 3/4" inside diameter	**
1675NPFS72	72" - 3/4" inside diameter	**
16100NPFS24	24" - 1" inside diameter	**
16100NPFS36	36" - 1" inside diameter	**

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
16100NPFS48	48" - 1" inside diameter	**
16100NPFS60	60" - 1" inside diameter	**
16100NPFS72	72" - 1" inside diameter	**
16125NPFS24	24" - 1-1/4" inside diameter	**
16125NPFS36	36" - 1-1/4" inside diameter	**
16125NPFS48	48" - 1-1/4" inside diameter	**
16125NPFS60	60" - 1-1/4" inside diameter	**
16125NPFS72	72" - 1-1/4" inside diameter	**
STATIONARY GAS CONNECTOR KIT FOR THE CANADIAN MARKETPLACE		
Kit Contains: 1-Braided, PVC Coated Connector, 1-Full Port Valve, 2-Elbows, 2-Threaded Couplers		
STATIONARY KIT FOR THE CANADIAN MARKETPLACE - See Page 16		
CAN1650BPEV24	24" - 1/2" inside diameter	152
CAN1650BPEV36	36" - 1/2" inside diameter	161
CAN1650BPEV48	48" - 1/2" inside diameter	180
CAN1650BPEV60	60" - 1/2" inside diameter	233
CAN1650BPEV72	72" - 1/2" inside diameter	241
CAN1675BPEV24	24" - 3/4" inside diameter	196
CAN1675BPEV36	36" - 3/4" inside diameter	214
CAN1675BPEV48	48" - 3/4" inside diameter	243
CAN1675BPEV60	60" - 3/4" inside diameter	276
CAN1675BPEV72	72" - 3/4" inside diameter	308
CAN16100BPEV24	24" - 1" inside diameter	241
CAN16100BPEV36	36" - 1" inside diameter	253
CAN16100BPEV48	48" - 1" inside diameter	290
CAN16100BPEV60	60" - 1" inside diameter	336
CAN16100BPEV72	72" - 1" inside diameter	381
CAN16125BPEV24	24" - 1-1/4" inside diameter	310
CAN16125BPEV36	36" - 1-1/4" inside diameter	346
CAN16125BPEV48	48" - 1-1/4" inside diameter	406
CAN16125BPEV60	60" - 1-1/4" inside diameter	467
CAN16125BPEV72	72" - 1-1/4" inside diameter	526
CONVERTIBLE REGULATORS - preset to deliver outlet pressures for both Natural or LP gases - See Page 16		
RV47CL-33	Pipe size: 3/8"; BTU Capacity: 125,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 4.0" - 10.0" wc	43
RV48CL-32	Pipe size: 1/2"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 5.0" - 10.0" wc	46
RV48CL-42	Pipe size: 3/4"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 5.0" - 10.0" wc	46
REGULATORS FOR NATURAL GAS - See Page 16		
RV47LNG-22	Pipe size: 3/8"; BTU Capacity: 125,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 3.0" - 6.0" wc	39
R48N32-0306-3.5	Pipe size: 1/2"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 3.0" - 6.0" wc	41
R48N42-0306-3.5	Pipe size: 3/4"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 3.0" - 6.0" wc	41
RV61LNG-52	Pipe size: 1"; BTU Capacity: 2,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 4.0" - 8.0" wc	152
RV61LNG-62	Pipe size: 1-1/4"; BTU Capacity: 2,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 4.0" - 8.0" wc	152
RV81LNG-72	Pipe size: 1-1/2"; BTU Capacity: 4,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 3.0" - 8.0" wc	324

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
REGULATORS FOR LP GAS - See Page 16		
RV47LLP-22	Pipe size: 3/8"; BTU Capacity: 125,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 8.0" - 12.0" wc	39
R48P32-0512-10	Pipe size: 1/2"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 5.0" - 12.0" wc	41
R48P42-0512-10	Pipe size: 3/4"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 5.0" - 12.0" wc	41
RV61LLP-52	Pipe size: 1"; BTU Capacity: 2,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 5.0" - 12.0" wc	152
RV61LLP-62	Pipe size: 1-1/4"; BTU Capacity: 2,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 5.0" - 12.0" wc	152
COUNTERTOP GAS APPLIANCE CONNECTOR KIT - COUNTERTOP CONNECTORS AND KITS - See Page 17		
CT1650-24	24" - ID: 1/2"	75
CT1650-36	36" - ID: 1/2"	86
CT1650KIT-24	24" - ID: 1/2"	83
CT1650KIT-36	36" - ID: 1/2"	93
FITTINGS, VALVES, RESTRAINING CABLES AND ACCESSORIES		
COILED RESTRAINING DEVICE - See Page 17		
RDC24	For 12" and 24" connectors	25
RDC36	For 36" connectors	28
RDC48	For 48" connectors	30
RDC60	For 60" and 72" connectors	31
BUSHINGS - See Page 17		
70-4132	3/4" M.NPT X 1/2" F.NPT	7
70-5142	1" M.NPT X 3/4" F.NPT	7
70-6152	1-1/4" M.NPT X 1" F.NPT	8
THREADED COUPLER - See Page 17		
050C	1/2" NPS	6
075C	3/4" NPS	7
100C	1" NPS	9
90° STREET ELBOW - MALE X FEMALE - See Page 17		
050SE	1/2"	6
075SE	3/4"	6
100SE	1"	7
125SE	1-1/4"	10
THREADED NIPPLE - See Page 17		
050SN	1/2"	5
075SN	3/4"	5
100SN	1"	5
125SN	1-1/4"	5
90° ELBOW - FEMALE X FEMALE - See Page 17		
050E	1/2"	5
075E	3/4"	5
100E	1"	7
125E	1-1/4"	9
GARDEN HOSE ADAPTER - See Page 17		
90-4142GH	3/4" Hose BIB	10
STRAIGHT BALL VALVES - FIP X FIP (FULL PORT) - See Page 17		
038FV	3/8" FIP X 3/8" FIP	20
050FV	1/2" FIP X 1/2" FIP	20

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
075FV	3/4" FIP X 3/4" FIP	24
100FV	1" FIP X 1" FIP	38
125FV	1-1/4" FIP X 1-1/4" FIP	56
SWIRL HOSE - WATER SUPPLY LINE		
SWIRL HOSE ASSEMBLIES - MALE X FEMALE - See Page 19		
71-1114-48	48" - ID: 1/4"	58
71-1114-72	72" - ID: 1/4"	63
71-1114-96	96" - ID: 1/4"	68
71-1114-144	144" - ID: 1/4"	78
72-2124-48	48" - ID: 3/8"	78
72-2124-72	72" - ID: 3/8"	89
72-2124-96	96" - ID: 3/8"	96
72-2124-144	144" - ID: 3/8"	118
73-3134-48	48" - ID: 1/2"	128
73-3134-72	72" - ID: 1/2"	147
73-3134-96	96" - ID: 1/2"	158
73-3134-144	144" - ID: 1/2"	188
SWIRL HOSE ASSEMBLIES - MALE X QUICK DISCONNECT - See Page 19		
71-1115-48	48" - ID: 1/4"	129
71-1115-72	72" - ID: 1/4"	132
71-1115-96	96" - ID: 1/4"	138
71-1115-144	144" - ID: 1/4"	152
72-2125-48	48" - ID: 3/8"	166
72-2125-72	72" - ID: 3/8"	176
72-2125-96	96" - ID: 3/8"	187
72-2125-144	144" - ID: 3/8"	209
73-3135-48	48" - ID: 1/2"	238
73-3135-72	72" - ID: 1/2"	253
73-3135-96	96" - ID: 1/2"	270
73-3135-144	144" - ID: 1/2"	300
COFFEE MACHINE KIT - MALE X FEMALE (1/4" ID) - See Page 19		
71-1118-48	1/4" M.NPT X 1/4" F.FLARE	63
71-1118-72	1/4" M.NPT X 1/4" F.FLARE	68
71-1118-96	1/4" M.NPT X 1/4" F.FLARE	74
71-1118-144	1/4" M.NPT X 1/4" F.FLARE	83
71-1128-48	1/4" M.NPT X 3/8" F.FLARE	63
71-1128-72	1/4" M.NPT X 3/8" F.FLARE	68
71-1128-96	1/4" M.NPT X 3/8" F.FLARE	74
71-1128-144	1/4" M.NPT X 3/8" F.FLARE	83
BRASS QUICK-DISCONNECT 2-WAY - See Page 19		
9850-1212	1/4"	71
9850-2222	3/8"	88
9850-3232	1/2"	107
BRASS FITTINGS - See Page 19		
90-1112	1/4" M.NPT X 1/4" F.FLARE	8
90-1122	1/4" M.NPT X 3/8" F.FLARE	8
90-4142GH	3/4" GARDEN HOSE BIB	10

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
ELBOWS - See Page 19		
95-1112	1/4" M.NPT X 1/4" F.NPT	7
95-2122	3/8" M.NPT X 3/8" F.NPT	8
95-3131	1/2" M.NPT X 1/2" M.NPT	17
HI-PSI STAINLESS STEEL HOSES FOR WATER		
COATED WATER CONNECTORS WITH 2-WAY QUICK-DISCONNECT - See Page 20		
"BP2Q": Stainless steel corrugated hose with braid and a permanent antimicrobial PVC coating, fitted with a solid brass, two-way quick-disconnect coupling		
W25BP2Q(C/H)24	24" - 1/4" inside diameter	184
W25BP2Q(C/H)36	36" - 1/4" inside diameter	206
W25BP2Q(C/H)48	48" - 1/4" inside diameter	229
W25BP2Q(C/H)60	60" - 1/4" inside diameter	255
W25BP2Q(C/H)72	72" - 1/4" inside diameter	281
W37BP2Q(C/H)24	24" - 3/8" inside diameter	217
W37BP2Q(C/H)36	36" - 3/8" inside diameter	230
W37BP2Q(C/H)48	48" - 3/8" inside diameter	259
W37BP2Q(C/H)60	60" - 3/8" inside diameter	288
W37BP2Q(C/H)72	72" - 3/8" inside diameter	320
W50BP2Q(C/H)24	24" - 1/2" inside diameter	237
W50BP2Q(C/H)36	36" - 1/2" inside diameter	258
W50BP2Q(C/H)48	48" - 1/2" inside diameter	286
W50BP2Q(C/H)60	60" - 1/2" inside diameter	317
W50BP2Q(C/H)72	72" - 1/2" inside diameter	351
W75BP2Q(C/H)24	24" - 3/4" inside diameter	338
W75BP2Q(C/H)36	36" - 3/4" inside diameter	354
W75BP2Q(C/H)48	48" - 3/4" inside diameter	393
W75BP2Q(C/H)60	60" - 3/4" inside diameter	433
W75BP2Q(C/H)72	72" - 3/4" inside diameter	476
W100BP2Q(C/H)24	24" - 1" inside diameter	449
W100BP2Q(C/H)36	36" - 1" inside diameter	476
W100BP2Q(C/H)48	48" - 1" inside diameter	522
W100BP2Q(C/H)60	60" - 1" inside diameter	570
W100BP2Q(C/H)72	72" - 1" inside diameter	619
COATED WATER CONNECTORS - See Page 20		
"BP" Series: Stainless steel corrugated hose with braid and a smooth permanent antimicrobial PVC coating		
W25BP(C/H)24	24" - 1/4" inside diameter	122
W25BP(C/H)36	36" - 1/4" inside diameter	142
W25BP(C/H)48	48" - 1/4" inside diameter	169
W25BP(C/H)60	60" - 1/4" inside diameter	191
W25BP(C/H)72	72" - 1/4" inside diameter	219
W37BP(C/H)24	24" - 3/8" inside diameter	135
W37BP(C/H)36	36" - 3/8" inside diameter	152
W37BP(C/H)48	48" - 3/8" inside diameter	180
W37BP(C/H)60	60" - 3/8" inside diameter	212
W37BP(C/H)72	72" - 3/8" inside diameter	241
W50BP(C/H)24	24" - 1/2" inside diameter	149
W50BP(C/H)36	36" - 1/2" inside diameter	165
W50BP(C/H)48	48" - 1/2" inside diameter	195

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
W50BP(C/H)60	60" - 1/2" inside diameter	227
W50BP(C/H)72	72" - 1/2" inside diameter	260
W75BP(C/H)24	24" - 3/4" inside diameter	189
W75BP(C/H)36	36" - 3/4" inside diameter	218
W75BP(C/H)48	48" - 3/4" inside diameter	253
W75BP(C/H)60	60" - 3/4" inside diameter	296
W75BP(C/H)72	72" - 3/4" inside diameter	339
W100BP(C/H)24	24" - 1" inside diameter	255
W100BP(C/H)36	36" - 1" inside diameter	291
W100BP(C/H)48	48" - 1" inside diameter	339
W100BP(C/H)60	60" - 1" inside diameter	386
W100BP(C/H)72	72" - 1" inside diameter	433
UNCOATED WATER CONNECTORS WITH QUICK-DISCONNECT - See Page 20		
"B2Q" Series: Stainless steel corrugated hose with braid, fitted with a solid brass, two-way quick-disconnect coupling		
W25B2Q24	24" - 1/4" inside diameter	159
W25B2Q36	36" - 1/4" inside diameter	169
W25B2Q48	48" - 1/4" inside diameter	182
W25B2Q60	60" - 1/4" inside diameter	194
W25B2Q72	72" - 1/4" inside diameter	211
W37B2Q24	24" - 3/8" inside diameter	184
W37B2Q36	36" - 3/8" inside diameter	195
W37B2Q48	48" - 3/8" inside diameter	214
W37B2Q60	60" - 3/8" inside diameter	229
W37B2Q72	72" - 3/8" inside diameter	247
W50B2Q24	24" - 1/2" inside diameter	212
W50B2Q36	36" - 1/2" inside diameter	225
W50B2Q48	48" - 1/2" inside diameter	244
W50B2Q60	60" - 1/2" inside diameter	266
W50B2Q72	72" - 1/2" inside diameter	283
W75B2Q24	24" - 3/4" inside diameter	303
W75B2Q36	36" - 3/4" inside diameter	314
W75B2Q48	48" - 3/4" inside diameter	342
W75B2Q60	60" - 3/4" inside diameter	367
W75B2Q72	72" - 3/4" inside diameter	395
W100B2Q24	24" - 1" inside diameter	408
W100B2Q36	36" - 1" inside diameter	425
W100B2Q48	48" - 1" inside diameter	463
W100B2Q60	60" - 1" inside diameter	501
W100B2Q72	72" - 1" inside diameter	537
UNCOATED WATER CONNECTORS - See Page 20		
"B" Series: Stainless steel corrugated hose with braid, and brass fittings on both ends		
W25B24	24" - 1/4" inside diameter	96
W25B36	36" - 1/4" inside diameter	106
W25B48	48" - 1/4" inside diameter	116
W25B60	60" - 1/4" inside diameter	132
W25B72	72" - 1/4" inside diameter	146
W37B24	24" - 3/8" inside diameter	106
W37B36	36" - 3/8" inside diameter	115

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
W37B48	48" - 3/8" inside diameter	134
W37B60	60" - 3/8" inside diameter	151
W37B72	72" - 3/8" inside diameter	169
W50B24	24" - 1/2" inside diameter	116
W50B36	36" - 1/2" inside diameter	132
W50B48	48" - 1/2" inside diameter	152
W50B60	60" - 1/2" inside diameter	174
W50B72	72" - 1/2" inside diameter	191
W75B24	24" - 3/4" inside diameter	158
W75B36	36" - 3/4" inside diameter	177
W75B48	48" - 3/4" inside diameter	203
W75B60	60" - 3/4" inside diameter	229
W75B72	72" - 3/4" inside diameter	258
W100B24	24" - 1" inside diameter	214
W100B36	36" - 1" inside diameter	241
W100B48	48" - 1" inside diameter	276
W100B60	60" - 1" inside diameter	314
W100B72	72" - 1" inside diameter	351
WATER AND STEAM CONNECTORS AND ICE MAKER INSTALLATION KIT		
COMBI-OVEN CONNECTORS - See Page 21		
CMB37BP48	48" - ID: 3/8"; 3/4" Hose BIB x 3/8" MIP	308
CMB37BP60	60" - ID: 3/8"; 3/4" Hose BIB x 3/8" MIP	328
CMB37BP2Q48	48" - ID: 3/8"; 3/4" Hose BIB x 3/8" QD	422
CMB37BP2Q60	60" - ID: 3/8"; 3/4" Hose BIB x 3/8" QD	445
90-4142GH	ID: 3/4"; 3/4" Hose BIB (Garden Hose Adapter)	10
STEAM CONNECTORS WITH QUICK-DISCONNECT - See Page 21		
"BIP2Q" Series: Stainless steel corrugated hose with braid, covered with orange insulating sleeve/heat shield and fitted with a solid brass two-way quick disconnect coupling		
H50BIP2Q24	24" - ID: 1/2"	260
H50BIP2Q36	36" - ID: 1/2"	283
H50BIP2Q48	48" - ID: 1/2"	316
H50BIP2Q60	60" - ID: 1/2"	348
H50BIP2Q72	72" - ID: 1/2"	381
H75BIP2Q24	24" - ID: 3/4"	380
H75BIP2Q36	36" - ID: 3/4"	411
H75BIP2Q48	48" - ID: 3/4"	461
H75BIP2Q60	60" - ID: 3/4"	510
H75BIP2Q72	72" - ID: 3/4"	559
H100BIP2Q24	24" - ID: 1"	497
H100BIP2Q36	36" - ID: 1"	545
H100BIP2Q48	48" - ID: 1"	614
H100BIP2Q60	60" - ID: 1"	683
H100BIP2Q72	72" - ID: 1"	735
STEAM CONNECTORS - See Page 21		
"BIP" Series: Stainless steel corrugated hose with braid, and brass fittings on both ends, covered with orange insulating sleeve/heat shield		
H50BIP24	24" - ID: 1/2"	159
H50BIP36	36" - ID: 1/2"	191

DORMONT CANADIAN DOLLAR PRICING - CONTRACTOR

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
H50BIP48	48" - ID: 1/2"	226
H50BIP60	60" - ID: 1/2"	258
H50BIP72	72" - ID: 1/2"	288
H75BIP24	24" - ID: 3/4"	241
H75BIP36	36" - ID: 3/4"	273
H75BIP48	48" - ID: 3/4"	323
H75BIP60	60" - ID: 3/4"	373
H75BIP72	72" - ID: 3/4"	419
H100BIP24	24" - ID: 1"	309
H100BIP36	36" - ID: 1"	356
H100BIP48	48" - ID: 1"	427
H100BIP60	60" - ID: 1"	498
H100BIP72	72" - ID: 1"	548
WATER QUICK-DISCONNECT 2-WAY COUPLING - SOLID BRASS - See Page 21		
Includes coupling and nipple		
W25QD	1/4"	68
W37QD	3/8"	88
W50QD	1/2"	106
W75QD	3/4"	162
W100QD	1"	214
ICE MAKER INSTALLATION KIT - See Page 21		
IMIKFS-01D	3/8" x 60" braided water connector, 3/4" PVC adapters, elbows and 1s, 1/2" Brass check valve	97
ONEFLOW SCALE CONTROL SYSTEMS		
8 GALLON HOT WATER UNITS - See Page 27		
DOR-OF817-8H-B		2,526
DOR-OF817-8HRM		637