



STAINLESS STEEL GAS CONNECTORS, ACCESSORIES
AND COMMERCIAL PLUMBING PRODUCTS

CANADIAN PRICE LIST



Toll Free: 800-567-4432
Toll Free Fax: 800-667-3423
E-Mail: sales@permul.com
Web Site: www.permul.ca

DEALER PRICE LIST
Deliveries to December 31, 2011
F.O.B. – Mississauga, ON

Revised: January 31, 2011

REVISION:

- New delivery date
- New pricing

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
THE DORMONT BLUE HOSE		
SAFETY SYSTEM REPLACEMENT CONNECTORS - See Page 7		
"BP" Series: Stainless steel corrugated hose, encased in stainless steel braid, covered with antimicrobial PVC coating		
1650BP24	24" - 1/2" inside diameter	100
1650BP36	36" - 1/2" inside diameter	109
1650BP48	48" - 1/2" inside diameter	123
1650BP60	60" - 1/2" inside diameter	149
1650BP72	72" - 1/2" inside diameter	171
1675BP24	24" - 3/4" inside diameter	131
1675BP36	36" - 3/4" inside diameter	148
1675BP48	48" - 3/4" inside diameter	170
1675BP60	60" - 3/4" inside diameter	195
1675BP72	72" - 3/4" inside diameter	219
16100BP24	24" - 1" inside diameter	149
16100BP36	36" - 1" inside diameter	166
16100BP48	48" - 1" inside diameter	195
16100BP60	60" - 1" inside diameter	230
16100BP72	72" - 1" inside diameter	264
16125BP24	24" - 1-1/4" inside diameter	197
16125BP36	36" - 1-1/4" inside diameter	227
16125BP48	48" - 1-1/4" inside diameter	275
16125BP60	60" - 1-1/4" inside diameter	323
16125BP72	72" - 1-1/4" inside diameter	372
SNAPFAST DELUXE GAS CONNECTOR KITS AND QUICK-DISCONNECTS		
DELUXE SAFETY SYSTEM GAS CONNECTOR KITS - See Page 9		
1650KIT24	24" - 1/2" inside diameter	180
1650KIT36	36" - 1/2" inside diameter	188
1650KIT48	48" - 1/2" inside diameter	197
1650KIT60	60" - 1/2" inside diameter	225
1650KIT72	72" - 1/2" inside diameter	252
1675KIT24	24" - 3/4" inside diameter	242
1675KIT36	36" - 3/4" inside diameter	250
1675KIT48	48" - 3/4" inside diameter	269
1675KIT60	60" - 3/4" inside diameter	309
1675KIT72	72" - 3/4" inside diameter	333
16100KIT24	24" - 1" inside diameter	304
16100KIT36	36" - 1" inside diameter	309
16100KIT48	48" - 1" inside diameter	338
16100KIT60	60" - 1" inside diameter	393
16100KIT72	72" - 1" inside diameter	413
16125KIT24	24" - 1-1/4" inside diameter	463
16125KIT36	36" - 1-1/4" inside diameter	498
16125KIT48	48" - 1-1/4" inside diameter	548
16125KIT60	60" - 1-1/4" inside diameter	604
16125KIT72	72" - 1-1/4" inside diameter	658
DELUXE SAFETY SYSTEM GAS CONNECTOR KITS WITH SAFETY-SET- See Page 9		
1650KIT24PS	24" - 1/2" inside diameter	243
1650KIT36PS	36" - 1/2" inside diameter	251

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1650KIT48PS	48" - 1/2" inside diameter	260
1650KIT60PS	60" - 1/2" inside diameter	288
1650KIT72PS	72" - 1/2" inside diameter	315
1675KIT24PS	24" - 3/4" inside diameter	305
1675KIT36PS	36" - 3/4" inside diameter	313
1675KIT48PS	48" - 3/4" inside diameter	332
1675KIT60PS	60" - 3/4" inside diameter	372
1675KIT72PS	72" - 3/4" inside diameter	396
16100KIT24PS	24" - 1" inside diameter	367
16100KIT36PS	36" - 1" inside diameter	372
16100KIT48PS	48" - 1" inside diameter	401
16100KIT60PS	60" - 1" inside diameter	456
16100KIT72PS	72" - 1" inside diameter	472
16125KIT24PS	24" - 1-1/4" inside diameter	526
16125KIT36PS	36" - 1-1/4" inside diameter	561
16125KIT48PS	48" - 1-1/4" inside diameter	611
16125KIT60PS	60" - 1-1/4" inside diameter	667
16125KIT72PS	72" - 1-1/4" inside diameter	721
SNAPFAST QUICK-DISCONNECT - See Page 9		
Includes nipple and coupling		
A50	1650 (1/2") connector series	55
A75	1675 (3/4") connector series	76
A100	16100 (1") connector series	103
A125	16125 (1-1/4") connector series	215
SWIVELMAX DELUXE GAS CONNECTOR KITS AND FITTINGS		
SAFETY SYSTEM GAS CONNECTOR KITS WITH DOUBLE SWIVELMAX - See Page 10		
Kits Include: Safety System gas connector with 2 SwivelMAX swivels, 1 SnapFast QD, 1 full port valve, a restraining cable and hardware		
1650KIT2S24	24" - 1/2" inside diameter	317
1650KIT2S36	36" - 1/2" inside diameter	323
1650KIT2S48	48" - 1/2" inside diameter	339
1650KIT2S60	60" - 1/2" inside diameter	370
1650KIT2S72	72" - 1/2" inside diameter	397
1675KIT2S24	24" - 3/4" inside diameter	385
1675KIT2S36	36" - 3/4" inside diameter	397
1675KIT2S48	48" - 3/4" inside diameter	418
1675KIT2S60	60" - 3/4" inside diameter	450
1675KIT2S72	72" - 3/4" inside diameter	474
16100KIT2S24	24" - 1" inside diameter	538
16100KIT2S36	36" - 1" inside diameter	558
16100KIT2S48	48" - 1" inside diameter	586
16100KIT2S60	60" - 1" inside diameter	638
16100KIT2S72	72" - 1" inside diameter	678
16125KIT2S24	24" - 1-1/4" inside diameter	886
16125KIT2S36	36" - 1-1/4" inside diameter	908
16125KIT2S48	48" - 1-1/4" inside diameter	967
16125KIT2S60	60" - 1-1/4" inside diameter	1,012
16125KIT2S72	72" - 1-1/4" inside diameter	1,061

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
SAFETY SYSTEM GAS CONNECTOR KITS WITH SINGLE SWIVELMAX - See Page 10		
Kits Include: Safety System gas connector with 1 SwivelMAX, 1 SnapFast QD, 1 elbow, 1 full port valve, a restraining cable and hardware		
1650KITS24	24" - 1/2" inside diameter	245
1650KITS36	36" - 1/2" inside diameter	249
1650KITS48	48" - 1/2" inside diameter	269
1650KITS60	60" - 1/2" inside diameter	335
1650KITS72	72" - 1/2" inside diameter	331
1675KITS24	24" - 3/4" inside diameter	314
1675KITS36	36" - 3/4" inside diameter	322
1675KITS48	48" - 3/4" inside diameter	347
1675KITS60	60" - 3/4" inside diameter	379
1675KITS72	72" - 3/4" inside diameter	405
16100KITS24	24" - 1" inside diameter	414
16100KITS36	36" - 1" inside diameter	447
16100KITS48	48" - 1" inside diameter	463
16100KITS60	60" - 1" inside diameter	521
16100KITS72	72" - 1" inside diameter	551
16125KITS24	24" - 1-1/4" inside diameter	713
16125KITS36	36" - 1-1/4" inside diameter	741
16125KITS48	48" - 1-1/4" inside diameter	762
16125KITS60	60" - 1-1/4" inside diameter	813
16125KITS72	72" - 1-1/4" inside diameter	867
SWIVELMAX 360° MULTI-PLANE ROTATION FITTING - See Page 10		
SM50	1/2" connector series (3/4" SwivelMax with 1/2" threads)	76
SM75	3/4" connector series	79
SM100	1" connector series	127
SM125	1-1/4" connector series	221
SAFETY QUIK DELUXE GAS CONNECTOR KITS AND SAFETY FITTINGS		
SAFETY SYSTEM GAS CONNECTOR KITS WITH SAFETY QUIK AND DOUBLE SWIVELMAX - See Page 11		
Kits Include: 1 Safety System Gas Connector, 1 Safety Quik QDV, 2 SwivelMAX, Restraining Cable & Hardware		
1650KITCF2S24	24" - 1/2" inside diameter	343
1650KITCF2S36	36" - 1/2" inside diameter	361
1650KITCF2S48	48" - 1/2" inside diameter	378
1650KITCF2S60	60" - 1/2" inside diameter	410
1650KITCF2S72	72" - 1/2" inside diameter	422
1675KITCF2S24	24" - 3/4" inside diameter	414
1675KITCF2S36	36" - 3/4" inside diameter	430
1675KITCF2S48	48" - 3/4" inside diameter	455
1675KITCF2S60	60" - 3/4" inside diameter	484
1675KITCF2S72	72" - 3/4" inside diameter	493
16100KITCF2S24	24" - 1" inside diameter	605
16100KITCF2S36	36" - 1" inside diameter	628
16100KITCF2S48	48" - 1" inside diameter	650
16100KITCF2S60	60" - 1" inside diameter	689
16100KITCF2S72	72" - 1" inside diameter	724

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
SAFETY SYSTEM GAS CONNECTOR KITS WITH SAFETY QUIK AND SINGLE SWIVELMAX - See Page 11		
Kits Include: 1 Safety System Gas Connector, 1 Safety Quik QDV, 1 SwivelMAX, 1 Elbow, Restraining Cable & Hardware		
1650KITCFS24	24" - 1/2" inside diameter	293
1650KITCFS36	36" - 1/2" inside diameter	299
1650KITCFS48	48" - 1/2" inside diameter	317
1650KITCFS60	60" - 1/2" inside diameter	335
1650KITCFS72	72" - 1/2" inside diameter	349
1675KITCFS24	24" - 3/4" inside diameter	348
1675KITCFS36	36" - 3/4" inside diameter	364
1675KITCFS48	48" - 3/4" inside diameter	390
1675KITCFS60	60" - 3/4" inside diameter	418
1675KITCFS72	72" - 3/4" inside diameter	443
16100KITCFS24	24" - 1" inside diameter	469
16100KITCFS36	36" - 1" inside diameter	502
16100KITCFS48	48" - 1" inside diameter	535
16100KITCFS60	60" - 1" inside diameter	570
16100KITCFS72	72" - 1" inside diameter	605
SAFETY SYSTEM GAS CONNECTOR KITS WITH SAFETY QUIK - See Page 11		
Kits Include: 1 Safety System Gas Connector, 1 Safety Quik QDV, 2 Elbows, Restraining Cable & Hardware		
1650KITCF24	24" - 1/2" inside diameter	215
1650KITCF36	36" - 1/2" inside diameter	224
1650KITCF48	48" - 1/2" inside diameter	242
1650KITCF60	60" - 1/2" inside diameter	265
1650KITCF72	72" - 1/2" inside diameter	292
1675KITCF24	24" - 3/4" inside diameter	273
1675KITCF36	36" - 3/4" inside diameter	288
1675KITCF48	48" - 3/4" inside diameter	313
1675KITCF60	60" - 3/4" inside diameter	341
1675KITCF72	72" - 3/4" inside diameter	365
16100KITCF24	24" - 1" inside diameter	355
16100KITCF36	36" - 1" inside diameter	377
16100KITCF48	48" - 1" inside diameter	399
16100KITCF60	60" - 1" inside diameter	450
16100KITCF72	72" - 1" inside diameter	502
SAFETY QUIK QDV SAFETY FITTING - See Page 11		
CF-50	1/2" connector series	92
CF-75	3/4" connector series	116
CF-100	1" connector series	161
SAFETY-SET EQUIPMENT PLACEMENT SYSTEM - See Page 12		
PS	2 Safety-Set units with adhesive foam tape, pre-applied	63
	Safety-set may also be purchased with any BPQR or KIT Series Hose To include Safety-Set, add PS to the end of the part number and add	63
BUILD YOUR OWN SAFETY SYSTEM GAS CONNECTION ASSEMBLIES		
SAFETY SYSTEM GAS CONNECTORS WITH DOUBLE SWIVELMAX AND RESTRAINING DEVICE - See Page 13		
"2S" Suffix denotes Safety System gas connector with the SwivelMAX coupling for both the supply end and the equipment end		
1650BPQ2SR24	24" - 1/2" inside diameter	307
1650BPQ2SR36	36" - 1/2" inside diameter	311
1650BPQ2SR48	48" - 1/2" inside diameter	329

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1650BPQ2SR60	60" - 1/2" inside diameter	351
1650BPQ2SR72	72" - 1/2" inside diameter	378
1675BPQ2SR24	24" - 3/4" inside diameter	361
1675BPQ2SR36	36" - 3/4" inside diameter	378
1675BPQ2SR48	48" - 3/4" inside diameter	406
1675BPQ2SR60	60" - 3/4" inside diameter	429
1675BPQ2SR72	72" - 3/4" inside diameter	448
16100BPQ2SR24	24" - 1" inside diameter	533
16100BPQ2SR36	36" - 1" inside diameter	550
16100BPQ2SR48	48" - 1" inside diameter	578
16100BPQ2SR60	60" - 1" inside diameter	614
16100BPQ2SR72	72" - 1" inside diameter	655
16125BPQ2SR24	24" - 1-1/4" inside diameter	830
16125BPQ2SR36	36" - 1-1/4" inside diameter	874
16125BPQ2SR48	48" - 1-1/4" inside diameter	921
16125BPQ2SR60	60" - 1-1/4" inside diameter	965
16125BPQ2SR72	72" - 1-1/4" inside diameter	1,062
SAFETY SYSTEM GAS CONNECTORS WITH SINGLE SWIVELMAX AND RESTRAINING DEVICE - See Page 11		
Ships with elbow		
"S" Suffix denotes Safety System gas connector with the SwivelMAX coupling for the supply end		
1650BPQSR24	24" - 1/2" inside diameter	239
1650BPQSR36	36" - 1/2" inside diameter	238
1650BPQSR48	48" - 1/2" inside diameter	258
1650BPQSR60	60" - 1/2" inside diameter	277
1650BPQSR72	72" - 1/2" inside diameter	310
1675BPQSR24	24" - 3/4" inside diameter	307
1675BPQSR36	36" - 3/4" inside diameter	312
1675BPQSR48	48" - 3/4" inside diameter	335
1675BPQSR60	60" - 3/4" inside diameter	362
1675BPQSR72	72" - 3/4" inside diameter	399
16100BPQSR24	24" - 1" inside diameter	410
16100BPQSR36	36" - 1" inside diameter	418
16100BPQSR48	48" - 1" inside diameter	446
16100BPQSR60	60" - 1" inside diameter	484
16100BPQSR72	72" - 1" inside diameter	523
16125BPQSR24	24" - 1-1/4" inside diameter	643
16125BPQSR36	36" - 1-1/4" inside diameter	674
16125BPQSR48	48" - 1-1/4" inside diameter	724
16125BPQSR60	60" - 1-1/4" inside diameter	777
16125BPQSR72	72" - 1-1/4" inside diameter	825
SAFETY SYSTEM GAS CONNECTORS WITH RESTRAINING DEVICE - See Page 13		
Ships with elbow		
1650BPQR24	24" - 1/2" inside diameter	174
1650BPQR36	36" - 1/2" inside diameter	180
1650BPQR48	48" - 1/2" inside diameter	194
1650BPQR60	60" - 1/2" inside diameter	220
1650BPQR72	72" - 1/2" inside diameter	249
1675BPQR24	24" - 3/4" inside diameter	233

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1675BPQR36	36" - 3/4" inside diameter	236
1675BPQR48	48" - 3/4" inside diameter	263
1675BPQR60	60" - 3/4" inside diameter	299
1675BPQR72	72" - 3/4" inside diameter	326
16100BPQR24	24" - 1" inside diameter	282
16100BPQR36	36" - 1" inside diameter	298
16100BPQR48	48" - 1" inside diameter	324
16100BPQR60	60" - 1" inside diameter	371
16100BPQR72	72" - 1" inside diameter	406
16125BPQR24	24" - 1-1/4" inside diameter	418
16125BPQR36	36" - 1-1/4" inside diameter	458
16125BPQR48	48" - 1-1/4" inside diameter	507
16125BPQR60	60" - 1-1/4" inside diameter	561
16125BPQR72	72" - 1-1/4" inside diameter	616
SAFETY SYSTEM GAS CONNECTOR WITH SAFETY QUIK AND DOUBLE SWIVELMAX - See Page 14		
"2S" suffix denotes Safety System gas connector with the SwivelMAX coupling for both the equipment and gas supply end		
1650BPCF2S24	24" - 1/2" inside diameter	323
1650BPCF2S36	36" - 1/2" inside diameter	341
1650BPCF2S48	48" - 1/2" inside diameter	358
1650BPCF2S60	60" - 1/2" inside diameter	385
1650BPCF2S72	72" - 1/2" inside diameter	417
1675BPCF2S24	24" - 3/4" inside diameter	384
1675BPCF2S36	36" - 3/4" inside diameter	410
1675BPCF2S48	48" - 3/4" inside diameter	430
1675BPCF2S60	60" - 3/4" inside diameter	458
1675BPCF2S72	72" - 3/4" inside diameter	486
16100BPCF2S24	24" - 1" inside diameter	573
16100BPCF2S36	36" - 1" inside diameter	605
16100BPCF2S48	48" - 1" inside diameter	638
16100BPCF2S60	60" - 1" inside diameter	680
16100BPCF2S72	72" - 1" inside diameter	717
SAFETY SYSTEM GAS CONNECTOR WITH SAFETY QUIK AND SWIVELMAX - See Page 14		
"S" suffix denotes Safety System gas connector with the SwivelMAX coupling on gas supply end		
Ships with elbow		
1650BPCFS24	24" - 1/2" inside diameter	267
1650BPCFS36	36" - 1/2" inside diameter	276
1650BPCFS48	48" - 1/2" inside diameter	289
1650BPCFS60	60" - 1/2" inside diameter	312
1650BPCFS72	72" - 1/2" inside diameter	338
1675BPCFS24	24" - 3/4" inside diameter	317
1675BPCFS36	36" - 3/4" inside diameter	342
1675BPCFS48	48" - 3/4" inside diameter	368
1675BPCFS60	60" - 3/4" inside diameter	392
1675BPCFS72	72" - 3/4" inside diameter	415
16100BPCFS24	24" - 1" inside diameter	444
16100BPCFS36	36" - 1" inside diameter	474
16100BPCFS48	48" - 1" inside diameter	506

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
16100BPCFS60	60" - 1" inside diameter	539
16100BPCFS72	72" - 1" inside diameter	570
SAFETY SYSTEM GAS CONNECTOR WITH SAFETY QUIK - See Page 14		
"BPCF" Series - Safety System gas connector with Safety Quik quick-disconnect coupling. Ships with elbow.		
1650BPCF24	24" - 1/2" inside diameter	201
1650BPCF36	36" - 1/2" inside diameter	212
1650BPCF48	48" - 1/2" inside diameter	218
1650BPCF60	60" - 1/2" inside diameter	241
1650BPCF72	72" - 1/2" inside diameter	266
1675BPCF24	24" - 3/4" inside diameter	259
1675BPCF36	36" - 3/4" inside diameter	277
1675BPCF48	48" - 3/4" inside diameter	304
1675BPCF60	60" - 3/4" inside diameter	329
1675BPCF72	72" - 3/4" inside diameter	355
16100BPCF24	24" - 1" inside diameter	323
16100BPCF36	36" - 1" inside diameter	344
16100BPCF48	48" - 1" inside diameter	375
16100BPCF60	60" - 1" inside diameter	408
16100BPCF72	72" - 1" inside diameter	439
SAFETY SYSTEM CONNECTORS WITH DOUBLE SWIVELMAX AND SNAPFAST - See Page 14		
"2S" suffix denotes Safety System gas connector with the SwivelMAX coupling for both the equipment side and the gas supply end		
1650BPQ2S24	24" - 1/2" inside diameter	284
1650BPQ2S36	36" - 1/2" inside diameter	294
1650BPQ2S48	48" - 1/2" inside diameter	310
1650BPQ2S60	60" - 1/2" inside diameter	334
1650BPQ2S72	72" - 1/2" inside diameter	361
1675BPQ2S24	24" - 3/4" inside diameter	343
1675BPQ2S36	36" - 3/4" inside diameter	355
1675BPQ2S48	48" - 3/4" inside diameter	382
1675BPQ2S60	60" - 3/4" inside diameter	410
1675BPQ2S72	72" - 3/4" inside diameter	433
16100BPQ2S24	24" - 1" inside diameter	506
16100BPQ2S36	36" - 1" inside diameter	527
16100BPQ2S48	48" - 1" inside diameter	550
16100BPQ2S60	60" - 1" inside diameter	594
16100BPQ2S72	72" - 1" inside diameter	632
16125BPQ2S24	24" - 1-1/4" inside diameter	825
16125BPQ2S36	36" - 1-1/4" inside diameter	852
16125BPQ2S48	48" - 1-1/4" inside diameter	899
16125BPQ2S60	60" - 1-1/4" inside diameter	943
16125BPQ2S72	72" - 1-1/4" inside diameter	985
SAFETY SYSTEM GAS CONNECTORS WITH SINGLE SWIVELMAX AND SNAPFAST - See Page 15		
"S" suffix denotes Safety System gas connector with the SwivelMAX coupling on gas supply end		
1650BPQS24	24" - 1/2" inside diameter	214
1650BPQS36	36" - 1/2" inside diameter	226
1650BPQS48	48" - 1/2" inside diameter	240
1650BPQS60	60" - 1/2" inside diameter	277

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1650BPQS72	72" - 1/2" inside diameter	302
1675BPQS24	24" - 3/4" inside diameter	287
1675BPQS36	36" - 3/4" inside diameter	292
1675BPQS48	48" - 3/4" inside diameter	321
1675BPQS60	60" - 3/4" inside diameter	345
1675BPQS72	72" - 3/4" inside diameter	375
16100BPQS24	24" - 1" inside diameter	399
16100BPQS36	36" - 1" inside diameter	408
16100BPQS48	48" - 1" inside diameter	425
16100BPQS60	60" - 1" inside diameter	479
16100BPQS72	72" - 1" inside diameter	515
16125BPQS24	24" - 1-1/4" inside diameter	609
16125BPQS36	36" - 1-1/4" inside diameter	655
16125BPQS48	48" - 1-1/4" inside diameter	705
16125BPQS60	60" - 1-1/4" inside diameter	780
16125BPQS72	72" - 1-1/4" inside diameter	814
SAFETY SYSTEM GAS CONNECTORS WITH SNAPFAST - See Page 15		
"BPQ" Series: Safety System gas connector with the SnapFast quick-disconnect coupling and elbow		
1650BPQ24	24" - 1/2" inside diameter	154
1650BPQ36	36" - 1/2" inside diameter	159
1650BPQ48	48" - 1/2" inside diameter	172
1650BPQ60	60" - 1/2" inside diameter	201
1650BPQ72	72" - 1/2" inside diameter	224
1675BPQ24	24" - 3/4" inside diameter	213
1675BPQ36	36" - 3/4" inside diameter	220
1675BPQ48	48" - 3/4" inside diameter	245
1675BPQ60	60" - 3/4" inside diameter	282
1675BPQ72	72" - 3/4" inside diameter	306
16100BPQ24	24" - 1" inside diameter	262
16100BPQ36	36" - 1" inside diameter	276
16100BPQ48	48" - 1" inside diameter	307
16100BPQ60	60" - 1" inside diameter	351
16100BPQ72	72" - 1" inside diameter	385
16125BPQ24	24" - 1-1/4" inside diameter	416
16125BPQ36	36" - 1-1/4" inside diameter	439
16125BPQ48	48" - 1-1/4" inside diameter	488
16125BPQ60	60" - 1-1/4" inside diameter	542
16125BPQ72	72" - 1-1/4" inside diameter	599
SAFETY SYSTEM GAS CONNECTORS WITH RESTRAINING DEVICE AND SAETY-SET - See Page 15		
"BP" Series: Safety system gas connector		
1650BPQR24PS	24" - 1/2" inside diameter	237
1650BPQR36PS	36" - 1/2" inside diameter	243
1650BPQR48PS	48" - 1/2" inside diameter	257
1650BPQR60PS	60" - 1/2" inside diameter	283
1650BPQR72PS	72" - 1/2" inside diameter	312
1675BPQR24PS	24" - 3/4" inside diameter	296
1675BPQR36PS	36" - 3/4" inside diameter	299
1675BPQR48PS	48" - 3/4" inside diameter	326

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
1675BPQR60PS	60" - 3/4" inside diameter	362
1675BPQR72PS	72" - 3/4" inside diameter	389
16100BPQR24PS	24" - 1" inside diameter	346
16100BPQR36PS	36" - 1" inside diameter	361
16100BPQR48PS	48" - 1" inside diameter	387
16100BPQR60PS	60" - 1" inside diameter	434
16100BPQR72PS	72" - 1" inside diameter	469
16125BPQR24PS	24" - 1-1/4" inside diameter	481
16125BPQR36PS	36" - 1-1/4" inside diameter	521
16125BPQR48PS	48" - 1-1/4" inside diameter	570
16125BPQR60PS	60" - 1-1/4" inside diameter	624
16125BPQR72PS	72" - 1-1/4" inside diameter	679
SAFETY SYSTEM GAS CONNECTORS WITH SINGLE SWIVEL, RESTRAINING DEVICE AND SAFETY-SET - See Page 15		
"BQ" Series: Stainless steel corrugated hose, encased in stainless steel braid, and fitted with a SnapFast quick-disconnect coupling. Ships with elbow.		
1650BQSR24PS	24" - 1/2" inside diameter	302
1650BQSR36PS	36" - 1/2" inside diameter	307
1650BQSR48PS	48" - 1/2" inside diameter	321
1650BQSR60PS	60" - 1/2" inside diameter	340
1650BQSR72PS	72" - 1/2" inside diameter	373
1675BQSR24PS	24" - 3/4" inside diameter	370
1675BQSR36PS	36" - 3/4" inside diameter	375
1675BQSR48PS	48" - 3/4" inside diameter	392
1675BQSR60PS	60" - 3/4" inside diameter	425
1675BQSR72PS	72" - 3/4" inside diameter	462
16100BQSR24PS	24" - 1" inside diameter	473
16100BQSR36PS	36" - 1" inside diameter	481
16100BQSR48PS	48" - 1" inside diameter	509
16100BQSR60PS	60" - 1" inside diameter	547
16100BQSR72PS	72" - 1" inside diameter	586
16125BQSR24PS	24" - 1-1/4" inside diameter	707
16125BQSR36PS	36" - 1-1/4" inside diameter	737
16125BQSR48PS	48" - 1-1/4" inside diameter	788
16125BQSR60PS	60" - 1-1/4" inside diameter	840
16125BQSR72PS	72" - 1-1/4" inside diameter	888
SAFETY SYSTEM GAS CONNECTORS WITH DOUBLE SWIVEL, RESTRAINING DEVICE AND SAFETY-SET - See Page 15		
"B" Series: Stainless steel corrugated hose, encased in stainless steel braid		
1650PBQ2SR24PS	24" - 1/2" inside diameter	370
1650PBQ2SR36PS	36" - 1/2" inside diameter	375
1650PBQ2SR48PS	48" - 1/2" inside diameter	392
1650PBQ2SR60PS	60" - 1/2" inside diameter	414
1650PBQ2SR72PS	72" - 1/2" inside diameter	441
1675PBQ2SR24PS	24" - 3/4" inside diameter	424
1675PBQ2SR36PS	36" - 3/4" inside diameter	441
1675PBQ2SR48PS	48" - 3/4" inside diameter	469
1675PBQ2SR60PS	60" - 3/4" inside diameter	492
1675PBQ2SR72PS	72" - 3/4" inside diameter	511
16100PBQ2SR24PS	24" - 1" inside diameter	596

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
16100PBQ2SR36PS	36" - 1" inside diameter	613
16100PBQ2SR48PS	48" - 1" inside diameter	641
16100PBQ2SR60PS	60" - 1" inside diameter	678
16100PBQ2SR72PS	72" - 1" inside diameter	719
16125PBQ2SR24PS	24" - 1-1/4" inside diameter	893
16125PBQ2SR36PS	36" - 1-1/4" inside diameter	937
16125PBQ2SR48PS	48" - 1-1/4" inside diameter	984
16125PBQ2SR60PS	60" - 1-1/4" inside diameter	1,028
16125PBQ2SR72PS	72" - 1-1/4" inside diameter	1,126
STATIONARY CONNECTORS AND REGULATORS		
STATIONARY GAS CONNECTOR KITS		
Kit Contains: 1-Stationary Connector, 1-Full Port Valve, 2-Elbows		
STATIONARY ANTIMICROBIAL PVC COATED GAS CONNECTOR INSTALLATION KITS - See Page 16		
** NOT APPROVED FOR COMMERCIAL APPLICATIONS AS PER TSSA STANDARDS **		
1650NPKIT24	24" - 1/2" inside diameter	**
1650NPKIT36	36" - 1/2" inside diameter	**
1650NPKIT48	48" - 1/2" inside diameter	**
1650NPKIT60	60" - 1/2" inside diameter	**
1650NPKIT72	72" - 1/2" inside diameter	**
1675NPKIT24	24" - 3/4" inside diameter	**
1675NPKIT36	36" - 3/4" inside diameter	**
1675NPKIT48	48" - 3/4" inside diameter	**
1675NPKIT60	60" - 3/4" inside diameter	**
1675NPKIT72	72" - 3/4" inside diameter	**
16100NPKIT24	24" - 1" inside diameter	**
16100NPKIT36	36" - 1" inside diameter	**
16100NPKIT48	48" - 1" inside diameter	**
16100NPKIT60	60" - 1" inside diameter	**
16100NPKIT72	72" - 1" inside diameter	**
16125NPKIT24	24" - 1-1/4" inside diameter	**
16125NPKIT36	36" - 1-1/4" inside diameter	**
16125NPKIT48	48" - 1-1/4" inside diameter	**
16125NPKIT60	60" - 1-1/4" inside diameter	**
16125NPKIT72	72" - 1-1/4" inside diameter	**
STATIONARY ANTIMICROBIAL PVC COATED GAS CONNECTORS ONLY - See Page 16		
** NOT APPROVED FOR COMMERCIAL APPLICATIONS AS PER TSSA STANDARDS **		
1650NPFS24	24" - 1/2" inside diameter	**
1650NPFS36	36" - 1/2" inside diameter	**
1650NPFS48	48" - 1/2" inside diameter	**
1650NPFS60	60" - 1/2" inside diameter	**
1650NPFS72	72" - 1/2" inside diameter	**
1675NPFS24	24" - 3/4" inside diameter	**
1675NPFS36	36" - 3/4" inside diameter	**
1675NPFS48	48" - 3/4" inside diameter	**
1675NPFS60	60" - 3/4" inside diameter	**
1675NPFS72	72" - 3/4" inside diameter	**
16100NPFS24	24" - 1" inside diameter	**
16100NPFS36	36" - 1" inside diameter	**

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
16100NPFS48	48" - 1" inside diameter	**
16100NPFS60	60" - 1" inside diameter	**
16100NPFS72	72" - 1" inside diameter	**
16125NPFS24	24" - 1-1/4" inside diameter	**
16125NPFS36	36" - 1-1/4" inside diameter	**
16125NPFS48	48" - 1-1/4" inside diameter	**
16125NPFS60	60" - 1-1/4" inside diameter	**
16125NPFS72	72" - 1-1/4" inside diameter	**
STATIONARY GAS CONNECTOR KIT FOR THE CANADIAN MARKETPLACE		
Kit Contains: 1-Braided, PVC Coated Connector, 1-Full Port Valve, 2-Elbows, 2-Threaded Couplers		
STATIONARY KIT FOR THE CANADIAN MARKETPLACE - See Page 16		
CAN1650BPEV24	24" - 1/2" inside diameter	113
CAN1650BPEV36	36" - 1/2" inside diameter	119
CAN1650BPEV48	48" - 1/2" inside diameter	133
CAN1650BPEV60	60" - 1/2" inside diameter	172
CAN1650BPEV72	72" - 1/2" inside diameter	178
CAN1675BPEV24	24" - 3/4" inside diameter	145
CAN1675BPEV36	36" - 3/4" inside diameter	159
CAN1675BPEV48	48" - 3/4" inside diameter	180
CAN1675BPEV60	60" - 3/4" inside diameter	205
CAN1675BPEV72	72" - 3/4" inside diameter	228
CAN16100BPEV24	24" - 1" inside diameter	178
CAN16100BPEV36	36" - 1" inside diameter	188
CAN16100BPEV48	48" - 1" inside diameter	215
CAN16100BPEV60	60" - 1" inside diameter	249
CAN16100BPEV72	72" - 1" inside diameter	282
CAN16125BPEV24	24" - 1-1/4" inside diameter	230
CAN16125BPEV36	36" - 1-1/4" inside diameter	256
CAN16125BPEV48	48" - 1-1/4" inside diameter	300
CAN16125BPEV60	60" - 1-1/4" inside diameter	346
CAN16125BPEV72	72" - 1-1/4" inside diameter	390
CONVERTIBLE REGULATORS - preset to deliver outlet pressures for both Natural or LP gases - See Page 16		
RV47CL-33	Pipe size: 3/8"; BTU Capacity: 125,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 4.0" - 10.0" wc	32
RV48CL-32	Pipe size: 1/2"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 5.0" - 10.0" wc	34
RV48CL-42	Pipe size: 3/4"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 5.0" - 10.0" wc	34
REGULATORS FOR NATURAL GAS - See Page 16		
RV47LNG-22	Pipe size: 3/8"; BTU Capacity: 125,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 3.0" - 6.0" wc	29
R48N32-0306-3.5	Pipe size: 1/2"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 3.0" - 6.0" wc	31
R48N42-0306-3.5	Pipe size: 3/4"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 3.0" - 6.0" wc	31
RV61LNG-52	Pipe size: 1"; BTU Capacity: 2,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 4.0" - 8.0" wc	113
RV61LNG-62	Pipe size: 1-1/4"; BTU Capacity: 2,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 4.0" - 8.0" wc	113
RV81LNG-72	Pipe size: 1-1/2"; BTU Capacity: 4,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 3.0" - 8.0" wc	240

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
REGULATORS FOR LP GAS - See Page 16		
RV47LLP-22	Pipe size: 3/8"; BTU Capacity: 125,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 8.0" - 12.0" wc	29
R48P32-0512-10	Pipe size: 1/2"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 5.0" - 12.0" wc	31
R48P42-0512-10	Pipe size: 3/4"; BTU Capacity: 250,000; Inlet Pressure: 1/2 PSIG; Outlet Pressure: 5.0" - 12.0" wc	31
RV61LLP-52	Pipe size: 1"; BTU Capacity: 2,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 5.0" - 12.0" wc	113
RV61LLP-62	Pipe size: 1-1/4"; BTU Capacity: 2,500,000; Inlet Pressure: 1 PSIG; Outlet Pressure: 5.0" - 12.0" wc	113
COUNTERTOP GAS APPLIANCE CONNECTOR KIT - COUNTERTOP CONNECTORS AND KITS - See Page 17		
CT1650-24	24" - ID: 1/2"	55
CT1650-36	36" - ID: 1/2"	64
CT1650KIT-24	24" - ID: 1/2"	61
CT1650KIT-36	36" - ID: 1/2"	69
FITTINGS, VALVES, RESTRAINING CABLES AND ACCESSORIES		
COILED RESTRAINING DEVICE - See Page 17		
RDC24	For 12" and 24" connectors	19
RDC36	For 36" connectors	20
RDC48	For 48" connectors	22
RDC60	For 60" and 72" connectors	23
BUSHINGS - See Page 17		
70-4132	3/4" M.NPT X 1/2" F.NPT	5
70-5142	1" M.NPT X 3/4" F.NPT	5
70-6152	1-1/4" M.NPT X 1" F.NPT	6
THREADED COUPLER - See Page 17		
050C	1/2" NPS	4
075C	3/4" NPS	5
100C	1" NPS	6
90° STREET ELBOW - MALE X FEMALE - See Page 17		
050SE	1/2"	4
075SE	3/4"	4
100SE	1"	5
125SE	1-1/4"	7
THREADED NIPPLE - See Page 17		
050SN	1/2"	4
075SN	3/4"	4
100SN	1"	4
125SN	1-1/4"	4
90° ELBOW - FEMALE X FEMALE - See Page 17		
050E	1/2"	4
075E	3/4"	4
100E	1"	5
125E	1-1/4"	6
GARDEN HOSE ADAPTER - See Page 17		
90-4142GH	3/4" Hose BIB	7
STRAIGHT BALL VALVES - FIP X FIP (FULL PORT) - See Page 17		
038FV	3/8" FIP X 3/8" FIP	15
050FV	1/2" FIP X 1/2" FIP	15

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
075FV	3/4" FIP X 3/4" FIP	18
100FV	1" FIP X 1" FIP	28
125FV	1-1/4" FIP X 1-1/4" FIP	42
SWIRL HOSE - WATER SUPPLY LINE		
SWIRL HOSE ASSEMBLIES - MALE X FEMALE - See Page 19		
71-1114-48	48" - ID: 1/4"	43
71-1114-72	72" - ID: 1/4"	47
71-1114-96	96" - ID: 1/4"	50
71-1114-144	144" - ID: 1/4"	58
72-2124-48	48" - ID: 3/8"	58
72-2124-72	72" - ID: 3/8"	66
72-2124-96	96" - ID: 3/8"	71
72-2124-144	144" - ID: 3/8"	87
73-3134-48	48" - ID: 1/2"	95
73-3134-72	72" - ID: 1/2"	109
73-3134-96	96" - ID: 1/2"	117
73-3134-144	144" - ID: 1/2"	139
SWIRL HOSE ASSEMBLIES - MALE X QUICK DISCONNECT - See Page 19		
71-1115-48	48" - ID: 1/4"	96
71-1115-72	72" - ID: 1/4"	98
71-1115-96	96" - ID: 1/4"	102
71-1115-144	144" - ID: 1/4"	113
72-2125-48	48" - ID: 3/8"	123
72-2125-72	72" - ID: 3/8"	131
72-2125-96	96" - ID: 3/8"	138
72-2125-144	144" - ID: 3/8"	154
73-3135-48	48" - ID: 1/2"	177
73-3135-72	72" - ID: 1/2"	188
73-3135-96	96" - ID: 1/2"	200
73-3135-144	144" - ID: 1/2"	222
COFFEE MACHINE KIT - MALE X FEMALE (1/4" ID) - See Page 19		
71-1118-48	1/4" M.NPT X 1/4" F.FLARE	47
71-1118-72	1/4" M.NPT X 1/4" F.FLARE	50
71-1118-96	1/4" M.NPT X 1/4" F.FLARE	55
71-1118-144	1/4" M.NPT X 1/4" F.FLARE	61
71-1128-48	1/4" M.NPT X 3/8" F.FLARE	47
71-1128-72	1/4" M.NPT X 3/8" F.FLARE	50
71-1128-96	1/4" M.NPT X 3/8" F.FLARE	55
71-1128-144	1/4" M.NPT X 3/8" F.FLARE	61
BRASS QUICK-DISCONNECT 2-WAY - See Page 19		
9850-1212	1/4"	53
9850-2222	3/8"	65
9850-3232	1/2"	79
BRASS FITTINGS - See Page 19		
90-1112	1/4" M.NPT X 1/4" F.FLARE	6
90-1122	1/4" M.NPT X 3/8" F.FLARE	6
90-4142GH	3/4" GARDEN HOSE BIB	7

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
ELBOWS - See Page 19		
95-1112	1/4" M.NPT X 1/4" F.NPT	5
95-2122	3/8" M.NPT X 3/8" F.NPT	6
95-3131	1/2" M.NPT X 1/2" M.NPT	12
HI-PSI STAINLESS STEEL HOSES FOR WATER		
COATED WATER CONNECTORS WITH 2-WAY QUICK-DISCONNECT - See Page 20		
"BP2Q": Stainless steel corrugated hose with braid and a permanent antimicrobial PVC coating, fitted with a solid brass, two-way quick-disconnect coupling		
W25BP2Q(C/H)24	24" - 1/4" inside diameter	137
W25BP2Q(C/H)36	36" - 1/4" inside diameter	153
W25BP2Q(C/H)48	48" - 1/4" inside diameter	170
W25BP2Q(C/H)60	60" - 1/4" inside diameter	189
W25BP2Q(C/H)72	72" - 1/4" inside diameter	208
W37BP2Q(C/H)24	24" - 3/8" inside diameter	160
W37BP2Q(C/H)36	36" - 3/8" inside diameter	171
W37BP2Q(C/H)48	48" - 3/8" inside diameter	192
W37BP2Q(C/H)60	60" - 3/8" inside diameter	213
W37BP2Q(C/H)72	72" - 3/8" inside diameter	237
W50BP2Q(C/H)24	24" - 1/2" inside diameter	176
W50BP2Q(C/H)36	36" - 1/2" inside diameter	191
W50BP2Q(C/H)48	48" - 1/2" inside diameter	212
W50BP2Q(C/H)60	60" - 1/2" inside diameter	235
W50BP2Q(C/H)72	72" - 1/2" inside diameter	260
W75BP2Q(C/H)24	24" - 3/4" inside diameter	250
W75BP2Q(C/H)36	36" - 3/4" inside diameter	262
W75BP2Q(C/H)48	48" - 3/4" inside diameter	291
W75BP2Q(C/H)60	60" - 3/4" inside diameter	321
W75BP2Q(C/H)72	72" - 3/4" inside diameter	352
W100BP2Q(C/H)24	24" - 1" inside diameter	333
W100BP2Q(C/H)36	36" - 1" inside diameter	352
W100BP2Q(C/H)48	48" - 1" inside diameter	387
W100BP2Q(C/H)60	60" - 1" inside diameter	422
W100BP2Q(C/H)72	72" - 1" inside diameter	458
COATED WATER CONNECTORS - See Page 20		
"BP" Series: Stainless steel corrugated hose with braid and a smooth permanent antimicrobial PVC coating		
W25BP(C/H)24	24" - 1/4" inside diameter	90
W25BP(C/H)36	36" - 1/4" inside diameter	105
W25BP(C/H)48	48" - 1/4" inside diameter	125
W25BP(C/H)60	60" - 1/4" inside diameter	142
W25BP(C/H)72	72" - 1/4" inside diameter	162
W37BP(C/H)24	24" - 3/8" inside diameter	100
W37BP(C/H)36	36" - 3/8" inside diameter	113
W37BP(C/H)48	48" - 3/8" inside diameter	133
W37BP(C/H)60	60" - 3/8" inside diameter	157
W37BP(C/H)72	72" - 3/8" inside diameter	178
W50BP(C/H)24	24" - 1/2" inside diameter	110
W50BP(C/H)36	36" - 1/2" inside diameter	122
W50BP(C/H)48	48" - 1/2" inside diameter	144

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
W50BP(C/H)60	60" - 1/2" inside diameter	168
W50BP(C/H)72	72" - 1/2" inside diameter	193
W75BP(C/H)24	24" - 3/4" inside diameter	140
W75BP(C/H)36	36" - 3/4" inside diameter	161
W75BP(C/H)48	48" - 3/4" inside diameter	188
W75BP(C/H)60	60" - 3/4" inside diameter	219
W75BP(C/H)72	72" - 3/4" inside diameter	251
W100BP(C/H)24	24" - 1" inside diameter	189
W100BP(C/H)36	36" - 1" inside diameter	216
W100BP(C/H)48	48" - 1" inside diameter	251
W100BP(C/H)60	60" - 1" inside diameter	286
W100BP(C/H)72	72" - 1" inside diameter	321
UNCOATED WATER CONNECTORS WITH QUICK-DISCONNECT - See Page 20		
"B2Q" Series: Stainless steel corrugated hose with braid, fitted with a solid brass, two-way quick-disconnect coupling		
W25B2Q24	24" - 1/4" inside diameter	118
W25B2Q36	36" - 1/4" inside diameter	125
W25B2Q48	48" - 1/4" inside diameter	135
W25B2Q60	60" - 1/4" inside diameter	143
W25B2Q72	72" - 1/4" inside diameter	156
W37B2Q24	24" - 3/8" inside diameter	137
W37B2Q36	36" - 3/8" inside diameter	144
W37B2Q48	48" - 3/8" inside diameter	159
W37B2Q60	60" - 3/8" inside diameter	170
W37B2Q72	72" - 3/8" inside diameter	183
W50B2Q24	24" - 1/2" inside diameter	157
W50B2Q36	36" - 1/2" inside diameter	166
W50B2Q48	48" - 1/2" inside diameter	181
W50B2Q60	60" - 1/2" inside diameter	197
W50B2Q72	72" - 1/2" inside diameter	210
W75B2Q24	24" - 3/4" inside diameter	224
W75B2Q36	36" - 3/4" inside diameter	233
W75B2Q48	48" - 3/4" inside diameter	253
W75B2Q60	60" - 3/4" inside diameter	272
W75B2Q72	72" - 3/4" inside diameter	293
W100B2Q24	24" - 1" inside diameter	302
W100B2Q36	36" - 1" inside diameter	315
W100B2Q48	48" - 1" inside diameter	343
W100B2Q60	60" - 1" inside diameter	371
W100B2Q72	72" - 1" inside diameter	398
UNCOATED WATER CONNECTORS - See Page 20		
"B" Series: Stainless steel corrugated hose with braid, and brass fittings on both ends		
W25B24	24" - 1/4" inside diameter	71
W25B36	36" - 1/4" inside diameter	79
W25B48	48" - 1/4" inside diameter	86
W25B60	60" - 1/4" inside diameter	98
W25B72	72" - 1/4" inside diameter	108
W37B24	24" - 3/8" inside diameter	79
W37B36	36" - 3/8" inside diameter	85

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
W37B48	48" - 3/8" inside diameter	99
W37B60	60" - 3/8" inside diameter	112
W37B72	72" - 3/8" inside diameter	125
W50B24	24" - 1/2" inside diameter	86
W50B36	36" - 1/2" inside diameter	98
W50B48	48" - 1/2" inside diameter	113
W50B60	60" - 1/2" inside diameter	129
W50B72	72" - 1/2" inside diameter	142
W75B24	24" - 3/4" inside diameter	117
W75B36	36" - 3/4" inside diameter	131
W75B48	48" - 3/4" inside diameter	150
W75B60	60" - 3/4" inside diameter	170
W75B72	72" - 3/4" inside diameter	191
W100B24	24" - 1" inside diameter	159
W100B36	36" - 1" inside diameter	178
W100B48	48" - 1" inside diameter	205
W100B60	60" - 1" inside diameter	233
W100B72	72" - 1" inside diameter	260
WATER AND STEAM CONNECTORS AND ICE MAKER INSTALLATION KIT		
COMBI-OVEN CONNECTORS - See Page 21		
CMB37BP48	48" - ID: 3/8"; 3/4" Hose BIB x 3/8" MIP	228
CMB37BP60	60" - ID: 3/8"; 3/4" Hose BIB x 3/8" MIP	243
CMB37BP2Q48	48" - ID: 3/8"; 3/4" Hose BIB x 3/8" QD	312
CMB37BP2Q60	60" - ID: 3/8"; 3/4" Hose BIB x 3/8" QD	329
90-4142GH	ID: 3/4"; 3/4" Hose BIB (Garden Hose Adapter)	7
STEAM CONNECTORS WITH QUICK-DISCONNECT - See Page 21		
"BIP2Q" Series: Stainless steel corrugated hose with braid, covered with orange insulating sleeve/heat shield and fitted with a solid brass two-way quick disconnect coupling		
H50BIP2Q24	24" - ID: 1/2"	193
H50BIP2Q36	36" - ID: 1/2"	210
H50BIP2Q48	48" - ID: 1/2"	234
H50BIP2Q60	60" - ID: 1/2"	258
H50BIP2Q72	72" - ID: 1/2"	282
H75BIP2Q24	24" - ID: 3/4"	282
H75BIP2Q36	36" - ID: 3/4"	305
H75BIP2Q48	48" - ID: 3/4"	341
H75BIP2Q60	60" - ID: 3/4"	378
H75BIP2Q72	72" - ID: 3/4"	414
H100BIP2Q24	24" - ID: 1"	368
H100BIP2Q36	36" - ID: 1"	404
H100BIP2Q48	48" - ID: 1"	455
H100BIP2Q60	60" - ID: 1"	506
H100BIP2Q72	72" - ID: 1"	544
STEAM CONNECTORS - See Page 21		
"BIP" Series: Stainless steel corrugated hose with braid, and brass fittings on both ends, covered with orange insulating sleeve/heat shield		
H50BIP24	24" - ID: 1/2"	118
H50BIP36	36" - ID: 1/2"	142

DORMONT CANADIAN DOLLAR PRICING - DEALER

-- Deliveries to December 31, 2011

Please call the order desk for pricing beyond that date

Revised: January 31, 2011 (New delivery date & pricing)

Part #	Item Description	Cdn. List
H50BIP48	48" - ID: 1/2"	167
H50BIP60	60" - ID: 1/2"	191
H50BIP72	72" - ID: 1/2"	213
H75BIP24	24" - ID: 3/4"	178
H75BIP36	36" - ID: 3/4"	202
H75BIP48	48" - ID: 3/4"	239
H75BIP60	60" - ID: 3/4"	276
H75BIP72	72" - ID: 3/4"	311
H100BIP24	24" - ID: 1"	229
H100BIP36	36" - ID: 1"	264
H100BIP48	48" - ID: 1"	317
H100BIP60	60" - ID: 1"	369
H100BIP72	72" - ID: 1"	406
WATER QUICK-DISCONNECT 2-WAY COUPLING - SOLID BRASS - See Page 21		
Includes coupling and nipple		
W25QD	1/4"	50
W37QD	3/8"	65
W50QD	1/2"	79
W75QD	3/4"	120
W100QD	1"	159
ICE MAKER INSTALLATION KIT - See Page 21		
IMIKFS-01D	3/8" x 60" braided water connector, 3/4" PVC adapters, elbows and 1s, 1/2" Brass check valve	72
ONEFLOW SCALE CONTROL SYSTEMS		
8 GALLON HOT WATER UNITS - See Page 27		
DOR-OF817-8H-B		1,871
DOR-OF817-8HRM		472